



M.J. Reider Associates, Inc.

ENVIRONMENTAL TESTING LABORATORY
U.S. EPA/PA DEP #06-00003

Certificate of Analysis

Laboratory No.: 9025193
Report: 08/06/19
Lab Contact: Bradley T Griffiths

Attention: Rusty Taft
Reported To: New Enterprise Stone & Lime Co., Inc.
3580 Division Hwy.
East Earl, PA 17519

Project Info: Quarterly Wells - A

Lab ID: 9025193-01 **Collected By:** Client **Sampled:** 07/23/19 08:20 **Received:** 07/24/19 12:30
Sample Desc: MW 2 **Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Antimony	<0.003	mg/l	0.003	EPA 200.8 Rev 5.4	07/25/19		MPB
Arsenic	0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Beryllium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Cadmium	0.0050	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Chromium	0.0088	mg/l	0.0010	EPA 200.8 Rev 5.4	07/25/19		MPB
Copper	0.005	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Lead	0.002	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Mercury	<0.0002	mg/l	0.0002	EPA 245.1 Rev 3.0	07/25/19		JAF
Nickel	0.0041	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Selenium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Silver	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Thallium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Zinc	0.888	mg/l	0.005	EPA 200.8 Rev 5.4	07/25/19	C-21	MPB
Volatiles							
1,1,1,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,1-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trimethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by CT (PH-0210), MD (261), NY(12094)

M.J. Reider Associates, Inc.
Lab ID: 9025193-01 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
1,3,5-Trimethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,4-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Butanone (MEK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
2-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Hexanone	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
4-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
4-Methyl-2-pentanone (MIBK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Acetone	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Allyl Chloride	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Benzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromodichloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromoform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromomethane (Methyl Bromide)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Carbon Disulfide	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Carbon Tetrachloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloromethane (Methyl Chloride)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromomethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dichlorodifluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19	V-01	GXF
Ethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Hexachlorobutadiene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Isopropylbenzene (Cumene)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
m+p-Xylene	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methyl Tert-Butyl Ether (MTBE)	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methylene Chloride (Dichloromethane)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

 NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
 NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
 Additional accreditations by CT (PH-0210), MD (261), NY(12094)

M.J. Reider Associates, Inc.

Lab ID: 9025193-01 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
Naphthalene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Propylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
o-Xylene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
p-Isopropyltoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Sec-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Styrene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tert-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tetrachloroethene (PCE)	1.1	ug/l	0.5	EPA 624	07/31/19		GXF
Tetrahydrofuran (THF)	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
Toluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichloroethene (TCE)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichlorofluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Vinyl Chloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Xylenes, Total	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by CT (PH-0210), MD (261), NY(12094)

M.J. Reider Associates, Inc.
Lab ID: 9025193-02

Collected By: Client

Sampled: 07/23/19 09:15

Received: 07/24/19 12:30

Sample Desc: MW 5

Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Antimony	<0.003	mg/l	0.003	EPA 200.8 Rev 5.4	07/25/19		MPB
Arsenic	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Beryllium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Cadmium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Chromium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/25/19		MPB
Copper	0.002	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Lead	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Mercury	<0.0002	mg/l	0.0002	EPA 245.1 Rev 3.0	07/25/19		JAF
Nickel	0.0019	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Selenium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Silver	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Thallium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Zinc	0.006	mg/l	0.005	EPA 200.8 Rev 5.4	07/25/19		MPB
Volatiles							
1,1,1,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,1-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trimethylbenzene	0.8	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3,5-Trimethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,4-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Butanone (MEK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
2-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Hexanone	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
4-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current NUTAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by CT (PH-0210), MD (261), NY(12094)

M.J. Reider Associates, Inc.
Lab ID: 9025193-02 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
4-Methyl-2-pentanone (MIBK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Acetone	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Allyl Chloride	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Benzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromodichloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromoform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromomethane (Methyl Bromide)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Carbon Disulfide	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Carbon Tetrachloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloromethane (Methyl Chloride)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromomethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dichlorodifluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19	V-01	GXF
Ethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Hexachlorobutadiene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Isopropylbenzene (Cumene)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
m+p-Xylene	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methyl Tert-Butyl Ether (MTBE)	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methylene Chloride (Dichloromethane)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Naphthalene	1.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Propylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
o-Xylene	1.3	ug/l	0.5	EPA 624	07/31/19		GXF
p-Isopropyltoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Sec-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Styrene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tert-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tetrachloroethene (PCE)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

 NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
 NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
 Additional accreditations by CT (PH-0210), MD (261), NY(12094)

M.J. Reider Associates, Inc.

Lab ID: 9025193-02 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
Tetrahydrofuran (THF)	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
Toluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichloroethene (TCE)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichlorofluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Vinyl Chloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Xylenes, Total	1.3	ug/l	1.0	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by CT (PH-0210), MD (261), NY(12094)



M.J. Reider Associates, Inc.
 ENVIRONMENTAL TESTING LABORATORY
 U.S. EPA/PA DEP #06-00003

Certificate of Analysis

Laboratory No.: 9025194
Report: 08/06/19
Lab Contact: Bradley T Griffiths

Attention: Rusty Taft
Reported To: New Enterprise Stone & Lime Co., Inc.
 3580 Division Hwy.
 East Earl, PA 17519

Project Info: Quarterly Wells - B

Lab ID: 9025194-01 **Collected By:** Client **Sampled:** 07/23/19 09:25 **Received:** 07/24/19 12:30
Sample Desc: MW 8 **Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Antimony	<0.003	mg/l	0.003	EPA 200.8 Rev 5.4	07/25/19		MPB
Arsenic	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Beryllium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Cadmium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Chromium	0.0012	mg/l	0.0010	EPA 200.8 Rev 5.4	07/25/19		MPB
Copper	0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Lead	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Mercury	<0.0002	mg/l	0.0002	EPA 245.1 Rev 3.0	07/25/19		JAF
Nickel	0.0017	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Selenium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Silver	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Thallium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Zinc	0.007	mg/l	0.005	EPA 200.8 Rev 5.4	07/25/19		MPB
Volatiles							
1,1,1,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,1-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trimethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
 NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
 Additional accreditations by CT (PH-0210), MD (261), NY(12094)

M.J. Reider Associates, Inc.
Lab ID: 9025194-01 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
1,3,5-Trimethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,4-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Butanone (MEK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
2-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Hexanone	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
4-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
4-Methyl-2-pentanone (MIBK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Acetone	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Allyl Chloride	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Benzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromodichloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromoform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromomethane (Methyl Bromide)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Carbon Disulfide	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Carbon Tetrachloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloromethane (Methyl Chloride)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromomethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dichlorodifluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19	V-01	GXF
Ethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Hexachlorobutadiene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Isopropylbenzene (Cumene)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
m+p-Xylene	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methyl Tert-Butyl Ether (MTBE)	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methylene Chloride (Dichloromethane)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

 NELAP accredited by PA, (PADEP #06-00003) Visit our website to view our current
 NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
 Additional accreditations by CT (PH-0210), MD (261), NY(12094)

Lab ID: 9025194-01 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
Naphthalene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Propylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
o-Xylene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
p-Isopropyltoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Sec-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Styrene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tert-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tetrachloroethene (PCE)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tetrahydrofuran (THF)	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
Toluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichloroethene (TCE)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichlorofluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Vinyl Chloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Xylenes, Total	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF



107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by CT (PH-0210), MD (261), NY(12094)

Lab ID: 9025194-02 **Collected By:** Client **Sampled:** 07/23/19 07:00 **Received:** 07/24/19 12:30
Sample Desc: MW 9 **Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Antimony	<0.003	mg/l	0.003	EPA 200.8 Rev 5.4	07/25/19		MPB
Arsenic	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Beryllium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Cadmium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Chromium	0.0026	mg/l	0.0010	EPA 200.8 Rev 5.4	07/25/19		MPB
Copper	0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Lead	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Mercury	<0.0002	mg/l	0.0002	EPA 245.1 Rev 3.0	07/25/19		JAF
Nickel	0.0013	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Selenium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Silver	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Thallium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Zinc	0.009	mg/l	0.005	EPA 200.8 Rev 5.4	07/25/19		MPB
Volatiles							
1,1,1,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,1-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trimethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3,5-Trimethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,4-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Butanone (MEK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
2-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Hexanone	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
4-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by CT (PH-0210), MD (261), NY(12094)

M.J. Reider Associates, Inc.
Lab ID: 9025194-02 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
4-Methyl-2-pentanone (MIBK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Acetone	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Allyl Chloride	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Benzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromodichloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromoform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromomethane (Methyl Bromide)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Carbon Disulfide	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Carbon Tetrachloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloromethane (Methyl Chloride)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromomethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dichlorodifluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19	V-01	GXF
Ethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Hexachlorobutadiene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Isopropylbenzene (Cumene)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
m+p-Xylene	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methyl Tert-Butyl Ether (MTBE)	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methylene Chloride (Dichloromethane)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Naphthalene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Propylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
o-Xylene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
p-Isopropyltoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Sec-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Styrene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tert-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tetrachloroethene (PCE)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

 NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
 NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
 Additional accreditations by CT (PH-0210), MD (261), NY(12094)

Lab ID: 9025194-02 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
Tetrahydrofuran (THF)	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
Toluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichloroethene (TCE)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichlorofluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Vinyl Chloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Xylenes, Total	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA, (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by CT (PH-0210), MD (261), NY(12094)

M.J. Reider Associates, Inc.

Lab ID: 9025194-03 **Collected By:** Client **Sampled:** 07/23/19 08:55 **Received:** 07/24/19 12:30
Sample Desc: MW 10 **Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Antimony	<0.003	mg/l	0.003	EPA 200.8 Rev 5.4	07/25/19		MPB
Arsenic	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Beryllium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Cadmium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Chromium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/25/19		MPB
Copper	0.002	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Lead	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Mercury	<0.0002	mg/l	0.0002	EPA 245.1 Rev 3.0	07/25/19		JAF
Nickel	0.0056	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Selenium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Silver	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Thallium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Zinc	0.009	mg/l	0.005	EPA 200.8 Rev 5.4	07/25/19		MPB
Volatiles							
1,1,1,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,1-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trimethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3,5-Trimethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,4-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Butanone (MEK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
2-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Hexanone	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
4-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by CT (PH-0210), MD (261), NY(12094)

Lab ID: 9025194-03 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
4-Methyl-2-pentanone (MIBK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Acetone	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Allyl Chloride	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Benzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromodichloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromoform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromomethane (Methyl Bromide)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Carbon Disulfide	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Carbon Tetrachloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloromethane (Methyl Chloride)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromomethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dichlorodifluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19	V-01	GXF
Ethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Hexachlorobutadiene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Isopropylbenzene (Cumene)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
m+p-Xylene	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methyl Tert-Butyl Ether (MTBE)	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methylene Chloride (Dichloromethane)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Naphthalene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Propylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
o-Xylene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
p-Isopropyltoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Sec-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Styrene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tert-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tetrachloroethene (PCE)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by CT (PH-0210), MD (261), NY(12094)

M.J. Reider Associates, Inc.

Lab ID: 9025194-03 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
Tetrahydrofuran (THF)	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
Toluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichloroethene (TCE)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichlorofluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Vinyl Chloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Xylenes, Total	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by CT (PH-0210), MD (261), NY(12094)

Lab ID: 9025194-04
Sample Desc: Weaver Well

Collected By: Client

Sampled: 07/23/19 08:00

Received: 07/24/19 12:30
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Antimony	<0.003	mg/l	0.003	EPA 200.8 Rev 5.4	07/25/19		MPB
Arsenic	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Beryllium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Cadmium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Chromium	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/25/19		MPB
Copper	0.002	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Lead	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Mercury	<0.0002	mg/l	0.0002	EPA 245.1 Rev 3.0	07/25/19		JAF
Nickel	0.0018	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Selenium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/25/19		MPB
Silver	<0.0010	mg/l	0.0010	EPA 200.8 Rev 5.4	07/29/19		MPB
Thallium	<0.001	mg/l	0.001	EPA 200.8 Rev 5.4	07/29/19		MPB
Zinc	<0.005	mg/l	0.005	EPA 200.8 Rev 5.4	07/25/19		MPB
Volatiles							
1,1,1,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,1-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2,2-Tetrachloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1,2-Trichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,1-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,3-Trichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2,4-Trimethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3,5-Trimethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,3-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
1,4-Dichlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2,2-Dichloropropane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Butanone (MEK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
2-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
2-Hexanone	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
4-Chlorotoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by CT (PH-0210), MD (261), NY(12094)

M.J. Reider Associates, Inc.

Lab ID: 9025194-04 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
4-Methyl-2-pentanone (MIBK)	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Acetone	<10.0	ug/l	10.0	EPA 624	07/31/19		GXF
Allyl Chloride	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Benzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromodichloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromoform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Bromomethane (Methyl Bromide)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Carbon Disulfide	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Carbon Tetrachloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chlorobenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloroform	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Chloromethane (Methyl Chloride)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Cis-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromochloromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dibromomethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Dichlorodifluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19	V-01	GXF
Ethylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Hexachlorobutadiene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Isopropylbenzene (Cumene)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
m+p-Xylene	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methyl Tert-Butyl Ether (MTBE)	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF
Methylene Chloride (Dichloromethane)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Naphthalene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
N-Propylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
o-Xylene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
p-Isopropyltoluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Sec-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Styrene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tert-Butylbenzene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Tetrachloroethene (PCE)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PAD)EP #06-00003 Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by CT (PH-0210), MD (261), NY(12094)

M.J. Reider Associates, Inc.

Lab ID: 9025194-04 Continued

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Volatiles							
Tetrahydrofuran (THF)	<2.0	ug/l	2.0	EPA 624	07/31/19		GXF
Toluene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,2-Dichloroethene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trans-1,3-Dichloropropene	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichloroethene (TCE)	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Trichlorofluoromethane	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Vinyl Chloride	<0.5	ug/l	0.5	EPA 624	07/31/19		GXF
Xylenes, Total	<1.0	ug/l	1.0	EPA 624	07/31/19		GXF

Preparation Methods

Specific Method	Preparation Method	Prepared Date	Prepared By
9025194-01			
EPA 200.8 Rev 5.4	EPA 200.2	07/25/2019	HRG
EPA 245.1 Rev 3.0	EPA 245.1 Rev 3.0	07/25/2019	JAF
9025194-02			
EPA 200.8 Rev 5.4	EPA 200.2	07/25/2019	HRG
EPA 245.1 Rev 3.0	EPA 245.1 Rev 3.0	07/25/2019	JAF
9025194-03			
EPA 200.8 Rev 5.4	EPA 200.2	07/25/2019	HRG
EPA 245.1 Rev 3.0	EPA 245.1 Rev 3.0	07/25/2019	JAF
9025194-04			
EPA 200.8 Rev 5.4	EPA 200.2	07/25/2019	HRG
EPA 245.1 Rev 3.0	EPA 245.1 Rev 3.0	07/25/2019	JAF

Notes and Definitions

V-01 For the EPA 624 procedure, the recovery of Dichlorodifluoromethane 59% in the LCS was outside of the acceptable range of 70-130%.



107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA, (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by CT (PH-0210), MD (261), NY(12094)